

# A MEASURE OF EXCELLENCE

When you look through this catalogue you will find product that is manufactured in the same tradition as all John Deere equipment, built to perform and built to last. John Deere Home and Workshop Products are superior in durability and dependability. Every accessory and every component is carefully engineered and rigorously tested.

Whether you purchase this equipment for your home or your business, you can be assured that you are getting something that has been manufactured to the highest degree of quality possible, by a team of people who are committed to excellence.





## CONTENTS

land Tools	5
Sockets and Socket Sets	6
Tool Sets	17
Wrenches	18
Pliers and Cutting Tools	24
Screwdrivers, Screwdriver Sets & Nut Drivers	30
Measuring and Striking Tools	32
Pry Bars and Hacksaws	33
Workshop Accessories	34
ccessories	38
Shop Towels	38
Absorbents, Tape and Accessories	39





When you buy hand tools from John Deere, you can be assured you'll get the best value for your investment. We offer a wide variety of hand tools like pliers and cutting tools, socket and wrench sets, screwdrivers and hammers, and multi-purpose utility knives.



SAE Combination Ratcheting Wrench Set **TY25249** 

## SOCKETS AND SOCKET SETS

#### **Features**

Limited lifetime warranty



#### SAE ¼-in. Drive Socket Set

**21-Piece Set in Blow-Molded Case** TY25835

6-pt. sock	et – Regular	6-pt. socket – Deep	
³∕₁6-in.	PT17025	1⁄4-in.	PT18930
⅓₃₂-in.	PT17026	%₂-in.	PT18931
1⁄4-in.	PT17027	⁵⁄₁6-in.	PT18932
9∕ <sub>32</sub> -in.	PT17028	¹¹⁄₃₂-in.	PT18933
⁵⁄₁6-in.	PT17029	³⁄8-in.	PT19910
<sup>11</sup> / <sub>32</sub> -in.	PT17030	⅓ <sub>16</sub> -in.	PT19911
³⁄8-in.	PT17031	½-in.	PT19912
⅓ <sub>16</sub> -in.	PT17032		
½-in.	PT17033		
2-in. exten	sion	PT17034	
6-in. exter	ision	PT17035	
¼-in. U-joint		TY19927	
Spinner handle		PT18600	
Pear-head ratchet		PT20970	
Blow-mold	led case	PT20971	



#### Metric 1/4-in. Drive Socket Set

21-Piece Set in Blow-Molded Case

TY25836

1123030			
6-pt. sock	et – Regular	6-pt. sock	ket – Deep
5mm	PT18018	6mm	PT19914
6mm	PT18019	7mm	PT19915
7mm	PT18020	8mm	PT19916
8mm	PT18021	9mm	PT19917
9mm	PT18022	10mm	PT19918
10mm	PT18023	11mm	PT19919
llmm	PT18024	13mm	PT19921
12mm	PT18025		
13mm	PT18026		
2-in. exter	ision	PT17034	
6-in. exter	nsion	PT17035	
⅓-in. U-jo	int	TY19927	
Spinner handle		PT18600	
Pear-head ratchet		PT20970	
Blow-mole	led case	PT20973	





#### SAE 3/8-in. Drive Socket Set

20-Piece Set in Blow-Molded Case

TY25837

12-pt. socket – Regular		12-pt. socket – Deep	
³⁄8-in.	PT17037	³⁄8-in.	PT17048
⅓16-in.	PT17038	⅓16-in.	PT17145
⅓-in.	PT17039	½-in.	PT17049
%₁6-in.	PT17040	%₁6-in.	PT17050
⁵⁄8-in.	PT17041	⁵⁄8-in.	PT17051
<sup>11</sup> / <sub>16</sub> -in.	PT17042	¹¹⁄₁6-in.	PT17052
³/4-in.	PT17043	³/ <sub>4</sub> -in.	PT17053
<sup>13</sup> ⁄16-in.	PT17044	<sup>13</sup> / <sub>16</sub> -in.	PT17054
%-in.	PT17045		
3-in. extension		PT17056	
6-in. extension		PT17057	
8-in. pear-head ratchet		PT20975	
Blow-molded case		PT20976	

#### Metric 3/8-in. Drive Socket Set

22-Piece Set in Blow-Molded Case

TY25838

12-pt. socket – Regular		12-pt. sock	et – Deep
10mm	PT16648	10mm	PT18005
12mm	PT16650	12mm	PT18006
13mm	PT16651	13mm	PT18007
14mm	PT16652	14mm	PT18008
15mm	PT16653	15mm	PT18009
17mm	PT16655	17mm	PT18010
18mm	PT16656	18mm	PT19268
19mm	PT16657	19mm	PT18011
21mm	PT18003	21mm	PT18012
22mm	PT18004		
3-in. exten	sion	PT17056	
6-in. extension		PT17057	
8-in. pear-head ratchet		PT20975	
Blow-molded case		PT20978	



#### SAE 3/8-in. Drive Sockets

10-Piece on Clip Rail

TY19983

#### 12-pt. socket – Regular

⁵⁄₁6-in.	PT18027	⁵⁄ <sub>8</sub> -in.	PT17041
³⁄8-in.	PT17037	¹¹⁄₁6-in.	PT17042
⅓16-in.	PT17038	³/4-in.	PT17043
⅓-in.	PT17039	<sup>13</sup> / <sub>16</sub> -in.	PT17044
<sup>9</sup> ∕16-in.	PT17040	%-in.	PT17045



#### SAE 3/8-in. Drive Flex Sockets

7-Piece on Clip Rail

TY24812

#### 6-pt. socket – Regular

³⁄8-in.	PT20307	⁵⁄8-in.	PT20311
⅓ <sub>16</sub> -in.	PT20308	<sup>11</sup> / <sub>16</sub> -in.	PT20312
³⁄4-in.	PT20313	⅓-in.	PT20309
9∕16-in.	PT20310		



#### Metric 3/8-in. Drive Sockets

14-Piece on Clip Rail

TY19924

#### 12-pt. socket – Regular

6mm	PT16644	13mm	PT16651
7mm	PT16645	14mm	PT16652
8mm	PT16646	15mm	PT16653
9mm	PT16647	16mm	PT16654
10mm	PT16648	17mm	PT16655
11mm	PT16649	18mm	PT16656
12mm	PT16650	19mm	PT16657



#### Metric 3/8-in. Drive Flex Sockets

10-Piece on Clip Rail

TY24813

#### 6-pt. socket – Regular

10mm	PT20314	15mm	PT20319
llmm	PT20315	16mm	PT20320
12mm	PT20316	17mm	PT20321
13mm	PT20317	18mm	PT20322
14mm	PT20318	19mm	PT20323

## FLARE NUT CROW FOOT SOCKETS

#### **Features**

- Attaches to ratchet or extension, allowing access to fasteners in tight places
- Flare-nut style minimises fastener rounding



#### SAE 3/8-in.

#### 7-Piece on Clip Rail

TY24358

³⁄8-in.	PT19932	⁵⁄8-in.	PT19936
⅓ <sub>16</sub> -in.	PT19933	<sup>11</sup> / <sub>16</sub> -in.	PT19937
⅓-in.	PT19934	³/ <sub>4</sub> -in.	PT19938

%16-in. PT19935



#### Metric 3/8-in.

#### 8-Piece on Clip Rail

10mm	PT19939	15mm	PT19943
llmm	PT19940	17mm	PT19944
13mm	PT19941	18mm	PT19945
14mm	PT19942	19mm	PT19946



## **IMPACT SOCKET SETS**

#### **Features**

- Thicker walls and special alloy steel provide extra strength
- A black oxide finish that provides corrosion resistance and also differentiates from regular sockets
- Sockets are through-hardened to ensure strength, toughness and wear resistance
- Limited lifetime warranty



#### SAE 1/2-in. Drive Sockets

13-Piece on Clip Rail

TY19984

#### 12-pt. socket - Regular

⅓16-in.	PT17058	%-in.	PT17065
⅓-in.	PT17059	<sup>15</sup> ⁄ <sub>16</sub> -in.	PT17066
%₁6-in.	PT17060	1-in.	PT17067
⁵⁄8-in.	PT17061	1½16-in.	PT17068
¹¹½16-in.	PT17062	1⅓-in.	PT17069
³⁄4-in.	PT17063	1¼-in.	PT17070
<sup>13</sup> / <sub>16</sub> -in.	PT17064		



## SAE 1/2-in. Drive Deep-Well Sockets

9-Piece on Clip Rail

TY24209

#### 12-pt. socket - Deep

⅓16-in.	PT19354	³/4-in.	PT17073
⅓-in.	PT19269	1³⁄16-in.	PT17074
%₁6-in.	PT19270	%-in.	PT17075
⁵⁄8-in.	PT17072	<sup>15</sup> / <sub>16</sub> -in.	PT19271
<sup>1]</sup> ⁄ <sub>16</sub> -in.	PT17146		



#### Metric 1/2-in. Drive Sockets

11-Piece on Clip Rail

TY19944

#### 6-pt. socket - Regular

20mm	PT17014	26mm	PT17020
21mm	PT17015	27mm	PT17021
22mm	PT17016	28mm	PT17022
23mm	PT17017	30mm	PT17023
24mm	PT17018	32mm	PT17024
25mm	PT17019		



## Metric 1/2-in. Drive Deep-Well Sockets

11-Piece on Clip Rail

TY24210

#### 12-pt. socket - Deep

13mm	PT19272	19mm	PT18015
14mm	PT19273	20mm	PT19276
15mm	PT18013	21mm	PT18016
16mm	PT19274	22mm	PT18017
17mm	PT18014	24mm	PT19277
18mm	PT19275		

<sup>\*</sup>For use on air or electric impact wrenches or ratchets.



#### SAE 1/2-in. Drive Impact Sockets

#### 11-Piece

TY24217

#### 6-pt. socket - Regular

⅓16-in.	PT19332	<sup>13</sup> / <sub>16</sub> -in.	PT19338
½-in.	PT19333	⅓-in.	PT19339
%16−in.	PT19334	<sup>15</sup> ⁄ <sub>16</sub> -in.	PT19340
⁵⁄8-in.	PT19335	1-in.	PT19341
<sup>1]</sup> ⁄ <sub>16</sub> -in.	PT19336	1 ⅓6-in.	PT19342
³/ <sub>4</sub> -in.	PT19337		



#### Metric 1/2-in. Drive Impact Sockets

#### 11-Piece

TY24218

#### 6-pt. socket - Regular

13mm	PT19343	19mm	PT19349
14mm	PT19344	21mm	PT19350
15mm	PT19345	22mm	PT19351
16mm	PT19346	24mm	PT19352
17mm	PT19347	27mm	PT19353
18mm	PT19348		



## SAE 1/2-in. Drive Deep-Well Impact Sockets

#### 11-Piece

TY24363

#### 6-pt. socket - Deep

⅓16-in.	PT19955	<sup>13</sup> ⁄ <sub>16</sub> -in.	PT19961
⅓-in.	PT19956	⅓-in.	PT19962
%₁6-in.	PT19957	<sup>15</sup> ⁄16-in.	PT19963
⁵⁄8-in.	PT19958	1-in.	PT19964
¹1∕₁6-in.	PT19959	1½6-in.	PT19965
³/4-in.	PT19960		



DT10070

## Metric 1/2-in. Drive Deep-Well Impact Sockets

11-Piece

TY24364

#### 6-pt. socket – Deep

DT10066

13mm	PT 19966	19mm	PT19972
14mm	PT19967	21mm	PT19973
15mm	PT19968	22mm	PT19974
16mm	PT19969	24mm	PT19975
17mm	PT19970	27mm	PT19976
18mm	PT19971		



## SAE 3/8-in. Drive Deep-Well Impact Sockets

8-Piece

TY27275

#### 6-pt. socket – Deep

⁵⁄16-in.	PT21293	%₁6-in.	PT21297
³⁄8-in.	PT21294	5⁄8-in.	PT21298
⅓ <sub>16</sub> -in.	PT21295	¹¹⁄₁6-in.	PT21299
⅓-in.	PT21296	³/ <sub>4</sub> -in.	PT21300



## Metric 3/8-in. Drive Deep-Well Impact Sockets

8-Piece

TY27274

#### 6-pt. socket – Deep

8mm	PT21285	14mm	PT21289
10mm	PT21286	15mm	PT21290
12mm	PT21287	17mm	PT21291
13mm	PT21288	19mm	PT21292





#### SAE 1/2-in. Drive Socket Set

**25-Piece Set in Blow-Molded Case** TY25839

#### 6-pt. socket - Regular

 %16-in.
 PT20980

 ½ -in.
 PT20981

 %16-in.
 PT20982

 5%8-in.
 PT20983

 1½16-in.
 PT20984

 ¾4-in.
 PT20985

#### 12-pt. socket - Regular 12-pt. socket - Deep

<sup>13</sup>/<sub>16</sub>-in. PT17064 ½-in. PT19269 %16-in. ⅓-in. PT17065 PT19270 <sup>15</sup>/<sub>16</sub>-in. PT17066 5∕<sub>8</sub>-in. PT17072 <sup>11</sup>/<sub>16</sub>-in. 1-in. PT17067 PT17146  $1\frac{1}{16}$ -in. PT17068 ³/4-in. PT17073 <sup>13</sup>/<sub>16</sub>-in. 1½-in. PT17069 PT17074 1½-in. PT17070 %-in. PT17075 <sup>15</sup>/<sub>16</sub>-in. PT19271

 5-in. extension
 PT17077

 10-in. extension
 PT17078

 17-in. breaker bar
 PT17435

 10-in. pear-head ratchet
 PT20986

 Blow-molded case
 PT20987

#### Metric 1/2-in. Drive Socket Set

**25-Piece Set in Blow-Molded Case** TY25840

12-pt. socket – Regular		12-pt. socket	– Deep
12mm	PT16660	15mm	PT18013
13mm	PT16661	16mm	PT19274
14mm	PT16662	17mm	PT18014
15mm	PT16663	18mm	PT19275
17mm	PT16665	19mm	PT18015
18mm	PT16666	20mm	PT18016
19mm	PT16667	21mm	PT1801
21mm	PT18884		
22mm	PT18885		
24mm	PT18886		
26mm	PT18887		
27mm	PT18888		
30mm	PT18889		
32mm	PT18890		
5-in. extensio	n	PT17077	
10-in. extensi	on	PT17078	
17-in. breaker	bar	PT17435	
10-in. pear-h	ead ratchet	PT20986	

PT20989

Blow-molded case





#### SAE 3/4-in. Drive Socket Set

**15-Piece Set in Blow-Molded Case** TY19926

#### 12-pt. socket – Regular

%-in.	PT16668	15/16-in.	PT16674
<sup>15</sup> ⁄ <sub>16</sub> -in.	PT16669	1³⁄8-in.	PT16675
1-in.	PT16670	1½16-in.	PT16676
1½16-in.	PT16671	1½-in.	PT16677
1⅓-in.	PT16672	1⁵⁄8-in.	PT16678
1¼-in.	PT16673		

 20-in. reversible ratchet
 PT16679

 19-in. breaker bar
 PT16680

 8-in. extension
 PT16681

 16-in. extension
 PT16682

 Blow-molded case
 PT16683

#### Metric 3/4-in. Drive Sockets

**11-Piece in Blow-Molded Case** TY19986

#### 12-pt. socket – Regular

22mm	PT18588	33mm	PT18594
24mm	PT18589	35mm	PT18595
26mm	PT18590	36mm	PT18596
27mm	PT18591	38mm	PT18597
30mm	PT18592	41mm	PT18598
32mm	PT18593		
Blow-molded case		PT20851	



#### **Universal Joints for Sockets**

TY19927 ¼-in. universal joint
TY19928 ¾-in. universal joint
TY19929 ½-in. universal joint



## Universal Joint for Impact Sockets

TY24221

- − ½-in.
- Access to fasteners from various angles
- 90-day warranty



## **Impact Adapter Set**

3-Piece

TY27451

#### Set includes

- ¼-in.
- ¾-in.
- ½-in.
- 90-day warranty

## HEX BIT SOCKETS

#### **Features**

- S2 alloy steel bit for strength and durability
- Rust resistant finish
- 90-day warranty



#### **SAE Hex Bit Sockets**

#### 13-Piece on Clip Rail

TY26846

¼-in. drive		⅓-in. driv	re
⁵⁄ <sub>64</sub> -in.	PT21167	³∕₁6-in.	PT21173
³⁄₃₂-in.	PT21168	⅓₃₂-in.	PT21174
⅓ <sub>64</sub> -in.	PT21169	1⁄4-in.	PT21175
⅓-in.	PT21170	⁵⁄₁6-in.	PT21176
%4-in.	PT21171	³⁄8-in.	PT21177
⁵⁄₃₂-in.	PT21172		
½-in. driv	e		
⅓ <sub>16</sub> -in.	PT21178		
⅓-in.	PT21179		



## SAE 1/2-in. Jumbo Hex Bit Sockets

#### 6-Piece on Clip Rail

TY26847

#### ½-in. drive

%16−in.	PT21180	³/4-in.	PT21183
⁵⁄8-in.	PT21181	<sup>13</sup> / <sub>16</sub> -in.	PT21184
¹1∕₁6-in.	PT21182	%-in.	PT21185
Clip rail	PT21219		



#### **Metric Hex Bit Sockets**

PT21218

#### 13-Piece on Clip Rail

TY26848

11mm

12mm

Clip rail

Clip rail

¼-in. drive		³⁄8-in. driv	e
2mm	PT21186	6mm	PT21192
2.5mm	PT21187	7mm	PT21193
3mm	PT21188	8mm	PT21194
4mm	PT21189	9mm	PT21195
5mm	PT21190	10mm	PT21196
5.5mm	PT21191		
½-in. drive			

PT21197

PT21198

PT21220



## Metric 1/2-in. Jumbo Hex Bit Sockets

#### 7-Piece on Clip Rail

TY26849

#### ½-in. drive

13mm	PT21199	19mm	PT21203
14mm	PT21200	21mm	PT21204
15mm	PT21201	22mm	PT21205
17mm	PT21202		
Clip rail	PT21221		

## STAR BIT SOCKETS

#### **Features**

- S2 alloy steel bit for strength and durability
- Rust resistant finish
- 90-day warranty



#### **Star Bit Sockets**

12-Piece on Clip Rail

TY26850

Tamper-resistant

1/4-in. drive		³⁄₃-in. dr	ive
T-10	PT21206	T-40	PT21212
T-15	PT21207	T-45	PT21213
T-20	PT21208	T-47	PT21214
T-25	PT21209	T-50	PT21215
T-27	PT21210	T-55	PT21216
T-30	PT21211		

#### ½-in. drive

T-60 PT21217 **Clip rail** PT21222



## **CLIP RAILS**

#### **Features**

- Keeps sockets organised and segregated by size of drive and fastener
- Easy snap on and off of sockets

#### Three sizes available:

TY24365 ¼-in. socket
TY24366 ¾-in. socket
TY24367 ½-in. socket



## **WOBBLE EXTENSION SETS**

TY19978		TY1997	9	
⅓-in. drive		⅓-in. dr	⅓-in. drive	
3-in.	PT18573	3-in.	PT18576	
6-in.	PT18574	6-in.	PT18577	
10-in.	PT18575	10-in.	PT18578	



## SAE AND METRIC 1/4-IN. AND 3/8-IN. DRIVE TOOL SET

#### TY24369

The 72-piece SAE and metric tool set contains the most commonly used tools for work around the home, shed and garage, and comes conveniently packaged in a zippered vinyl carrying case.

#### **SAE Sockets**

1/4-in. Dr	ive	3/8-in. D	rive
6-pt. regular socket		12-pt. reg	ular socket
³⁄16-in.	PT17025	³/ <sub>8</sub> -in.	PT17037
⅓₃₂-in.	PT17026	⅓ <sub>16</sub> -in.	PT17038
1⁄4-in.	PT17027	½-in.	PT17039
9∕ <sub>32</sub> -in.	PT17028	%₁6-in.	PT17040
⁵⁄₁6-in.	PT17029	⁵⁄∗-in.	PT17041
³⁄8-in.	PT17031	¹1∕₁6-in.	PT17042
⅓ <sub>16</sub> -in.	PT17032	³/ <sub>4</sub> -in.	PT17043
⅓-in.	PT17033	<sup>13</sup> ⁄ <sub>16</sub> -in.	PT17044
%-in.	PT17045	12-pt. deep socket	
		³⁄8-in.	PT17048

½₁6-in.

 $\frac{1}{2}$ -in.

%16-in.

PT17145

PT17049

PT17050

#### **Metric Sockets**

1/4-in. Drive		3/8-in. Drive	
6-pt. regular socket		12-pt. regular socket	
4mm	PT18599	9mm	PT16647
5mm	PT18018	10mm	PT16648
6mm	PT18019	llmm	PT16649
7mm	PT18020	12mm	PT16650
8mm	PT18021	13mm	PT16651
9mm	PT18022	14mm	PT16652
10mm	PT18023	15mm	PT16653
llmm	PT18024	16mm	PT16654
12mm	PT18025	17mm	PT16655
13mm	PT18026	18mm	PT16656

#### 12-pt. deep socket

12mm	PT18006
13mm	PT18007
14mm	PT18008
15mm	PT18009

#### Accessories for 3/8-in. Drive

³⁄₀-in. ratchet	PT20975
3-in. extension	PT17056
³⁄8-in. adapter	PT19986
⁵⁄8-in. spark-plug socket	TY19932
Magnetic spinner handle	PT19983
Magnetic drive socket adapter – for spinner handle	PT19984
10-piece hex bits in boot	PT19985
10-piece bit set	PT18030
6-in. adjustable wrench	TY19945



## SAE AND METRIC 1/4-IN. AND 3/8-IN. SOCKET AND WRENCH TOOL SET

#### TY19996

The 70-piece SAE and metric socket/wrench tool set comes packaged in a convenient blow-molded carrying case and features an improved locking mechanism. The tools are made of chrome-vanadium steel and nickel-chrome plated for high-torque strength – perfect for home and vehicle owners.

#### **SAE Sockets**

1/4-in. Drive		3/8-in. Drive	
6-pt. regular socket		12-pt. regular socket	
⁵⁄₃₂-in.	PT18935	³⁄8-in.	PT17037
³/16-in.	PT17025	⅓16-in.	PT17038
⅓₃-in.	PT17026	⅓-in.	PT17039
1⁄4-in.	PT17027	%₁6-in.	PT17040
%₂-in.	PT17028	⁵⁄8-in.	PT17041
⁵⁄₁6-in.	PT17029	¹½16-in.	PT17042
<sup>11</sup> / <sub>32</sub> -in.	PT17030	³/4-in.	PT17043
³⁄8-in.	PT17031	<sup>13</sup> / <sub>16</sub> -in.	PT17044
⅓ <sub>16</sub> -in.	PT17032	12-pt. dee	p socket
½-in.	PT17033	³⁄8-in.	PT17048
6-pt. deep	socket	⅓16-in.	PT17145
⅓₂-in.	PT18929	⅓-in.	PT17049
1⁄4-in.	PT18930	9∕16-in.	PT17050
9∕ <sub>32</sub> -in.	PT18931	⁵⁄8-in.	PT17051
⁵⁄16-in.	PT18932	<sup>11</sup> / <sub>16</sub> -in.	PT17052
<sup>11</sup> / <sub>32</sub> -in.	PT18933		

#### **Metric Sockets**

1/4-in. Driv	е	3/8-in. Driv	re
6-pt. regular socket		12-pt. regular socket	
4mm	PT18599	10mm	PT16648
5mm	PT18018	llmm	PT16649
6mm	PT18019	12mm	PT16650
7mm	PT18020	13mm	PT16651
8mm	PT18021	14mm	PT16652
9mm	PT18022	15mm	PT16653
10mm	PT18023	19mm	PT16657
llmm	PT18024		
12mm	PT18025		
13mm	PT18026		

## Accessories for ¼-in. Drive

Hex bits – 3, 4, 5, 6	PT18030
Blow-molded case	PT19088
<sup>5</sup> / <sub>8</sub> -in.	PT16588
% <sub>16</sub> -in.	PT16587
½-in.	PT16586
⅓ <sub>16</sub> -in.	PT16585
³⁄ <sub>8</sub> -in.	PT16584
Combination Wrenches	
Ratchet	PT20975
3-in. extension bar	PT17056
⅓-in. spark-plug socket	TY19932
Accessories for 3/8-in. drive	
Bit holder	PT18934
Ratchet	PT20970
Spinner handle	PT18600
2-in. extension bar	PT17034



Flat bits – 4, 5.5, 7 Phillips bits – 1, 2, 3

## **WRENCHES**

## **Full-Polished Combination Wrench Sets**

#### Features

- Nickel chrome-plated and fully polished to resist rust and corrosion
- A unique radius-corner design, that allows contact with the flats, rather than with the points providing additional torque strength and minimises fastener rounding
- Full-polished wrenches are longer than satin-finish wrenches to ensure higher torque and greater reach
- Stronger providing less chance of slipping ideal for frozen or rusted fasteners
- Hot-drop forged from chrome-vanadium alloy steel ensure maximum strength and toughness
- Limited lifetime warranty





#### **SAE Wrench Set**

**14-Piece Set in Pouch** TY19976

#### 12-pt. combination wrench

³⁄8-in.	PT18539	<sup>13</sup> ⁄16-in.	PT18546
⅓16-in.	PT18540	⅓-in.	PT18547
⅓-in.	PT18541	<sup>15</sup> / <sub>16</sub> -in.	PT18548
%₁6-in.	PT18542	1-in.	PT18549
⁵⁄8-in.	PT18543	1½ <sub>16</sub> -in.	PT18550
¹¹½16-in.	PT18544	1⅓-in.	PT18551
³/4-in.	PT18545	1¼-in.	PT18552
Pouch	PT20847		

#### **Metric Wrench Set**

**20-Piece Set in Pouch** TY19977

#### 12-pt. combination wrench

7mm	PT18553	17mm	PT18563
8mm	PT18554	18mm	PT18564
9mm	PT18555	19mm	PT18565
10mm	PT18556	20mm	PT18566
llmm	PT18557	21mm	PT18567
12mm	PT18558	22mm	PT18568
13mm	PT18559	24mm	PT18569
14mm	PT18560	27mm	PT18570
15mm	PT18561	30mm	PT18571
16mm	PT18562	32mm	PT18572
Pouch	PT20846		

## Satin-Finish Combination Wrench Sets

#### **Features**

- Hot-drop forged from molybdenum alloy steel to ensure maximum strength and toughness
- High torque strength on both ends exceeds federal specifications by a wide margin
- Chamfered tops and openings allow an easier fit and placement onto fasteners
- Open ends are angled 15° to permit use on hex fasteners in as little as 30° of turning space
- 12-point box-end opening permits use where only a 15° swing space is available
- Satin-finish, nickel-chrome plated to resist rust and corrosion
- Set includes grommeted cloth pouch with double straps to protect your investment
- Limited lifetime warranty





#### **SAE Wrench Set**

14-Piece Set in Pouch

TY19918

#### 12-pt. combination wrench

³⁄8-in.	PT16584	<sup>13</sup> ⁄16-in.	PT16593
⅓16-in.	PT16585	%-in.	PT16591
⅓-in.	PT16586	<sup>15</sup> / <sub>16</sub> -in.	PT16592
%16-in.	PT16587	1-in.	PT16594
⁵⁄8-in.	PT16588	1½ <sub>16</sub> -in.	PT16595
<sup>11</sup> / <sub>16</sub> -in.	PT16589	1⅓-in.	PT16596
³/ <sub>4</sub> -in.	PT16590	1¼-in.	PT16597
Pouch	PT20845		



10-Piece Set in Pouch

TY19922

#### 12-pt. combination wrench

10mm	PT16623	15mm	PT16628
11mm	PT16624	16mm	PT16629
12mm	PT16625	17mm	PT16630
13mm	PT16626	18mm	PT16631
14mm	PT16627	19mm	PT16632
Pouch	PT20843		



#### Metric Wrench Set

**11-Piece Set in Pouch** TY19923

#### 12-pt. combination wrench

•			
20mm	PT16633	26mm	PT16639
21mm	PT16634	27mm	PT16640
22mm	PT16635	28mm	PT16641
23mm	PT16636	30mm	PT16642
24mm	PT16637	32mm	PT16643
25mm	PT16638		
Pouch	PT20844		

## **Combination Ratcheting Wrench Sets**

#### Features

- 5° or arc-swing and low profile allows access to fasteners in tight spaces and areas where other wrenches may not be effective
- No need to remove wrench from fastener while tightening or loosening
- Full-polish, chrome-vanadium finish wipes clean
- Interactive packaging encourages customers to try it out demonstrates the ratchet-action feature
- Ideal for professionals and general do-it-yourself applications
- Limited lifetime warranty



#### **SAE Wrench Set**

7-Piece Set with Rack

TY25249

#### Set includes

³⁄8-in.	PT20676	⁵⁄8-in.	PT20680
⅓16-in.	PT20677	¹1∕₁6-in.	PT20681
½-in.	PT20678	³/ <sub>4</sub> -in.	PT20682

%16-in. PT20679




#### Metric Wrench Set

7-Piece Set with Rack

TY25250

#### Set includes

10mm	PT20683	15mm	PT20687
12mm	PT20684	16mm	PT20688
13mm	PT20685	18mm	PT20689
14mm	PT20686		



## Combination Offset Reversible Ratcheting Wrench Sets

#### **Features**

- 72-tooth ratchet design for fast performance
- Less than 5° sweep for use in tight spots
- 15° offset design meets ANSI specifications
- Durable chrome-vanadium steel construction
- Limited lifetime warranty



#### Metric Wrench Set

7-Piece Set with Rack

TY26999

#### Set includes:

10mm	PT21235	15mm	PT21239
12mm	PT21236	16mm	PT21240
13mm	PT21237	18mm	PT21241

14mm PT21238

## Adjustable Wrenches

#### **Features**

- Made from chrome-vanadium steel for extra strength and quality appearance
- Drop-forged handle and jaw maximises toughness
- Lifetime warranty



#### Six sizes available to match job requirement:

TY19945	6-in.
TY19946	8-in.
TY19947	10-in.
TY19948	12-in
TY19981	15-in.
TY19982	18-in.



## 9-Piece Hex Wrench Sets

#### **Features**

- Made from high-quality alloy steel to precise dimensions
- Ball arm allows for additional offset for hard-to-reach fasteners up to 25°
- Black-oxide rust resistant finish keys housed in plastic holder
- 90-day warranty



#### SAE Hex Wrench Set

9-Piece Set with Rack

TY24512

#### Set includes

0.028-in. 3/32-in. 0.035-in. 7/64-in. 0.050-in. 7/8-in. 7/16-in. 9/64-in.

5⁄64-in.



#### Metric Hex Wrench Set

9-Piece Set with Rack

TY24513

#### Set includes

 0.7mm
 2.5mm

 0.9mm
 3mm

 1.3mm
 4mm

 1.5mm
 4.5mm

2mm



#### 30-Piece SAE and Metric Hex Wrench Set

TY19995

- Made of chrome-vanadium steel with black-oxide finish
- SAE and metric combination set allows for choice of size
- 90-day warranty

SAE hex wrench sizes	Metric hex wrench sizes
.028-in.	0.7mm
.035-in.	0.9mm
.050-in.	1.3mm
У <sub>16</sub> -in.	1.5mm
⁵⁄ <sub>64</sub> -in.	2mm
³⁄₃₂-in.	2.5mm
7⁄ <sub>64</sub> -in.	3mm
⅓-in.	4mm
<sup>9</sup> ⁄ <sub>64</sub> -in.	4.5mm
<sup>5</sup> / <sub>32</sub> -in.	5mm
³⁄ <sub>16</sub> -in.	5.5mm
⅓₃₂-in.	5.5mm
1⁄4-in.	7mm
⁵⁄ <sub>16</sub> -in.	8mm
³⁄ <sub>8</sub> -in.	8mm

## PLIERS AND CUTTING TOOLS



## Knipex 9-in. High Leverage Combination Pliers

#### TY24234

- A high-leverage, eccentric joint
- Additional serrated, round jaws for gripping small pieces
- Designed to cut ⅓₂-in. hard wire and ⅓₂-in. piano wire
- Long cutting edges for use on thicker cables
- Induction-hardened cutting edges provide excellent strength
- Oil-hardened, tempered and polished head
- 2-colour dual-component comfort grips with specially designed movement and gripping zones
- Limited lifetime warranty



## **Knipex Alligator Pliers**

- Self-gripping on pipes, bolts and nuts by means of pushing downwards
- 7-position, box-joint adjustment provides grip-size flexibility
- Cast stop prevents finger pinching
- Made of strong, chrome-vanadium steel
- Ergonomically designed for comfort
- Limited lifetime warranty

TY25018	7-in. long Alligator pliers	for $\frac{1}{8}$ -in. to $\frac{1}{4}$ -in. pipes, $\frac{3}{8}$ -in. to $\frac{1}{8}$ -in. nuts
TY25019	10-in. long Alligator pliers	for $\frac{1}{2}$ -in. to $\frac{1}{2}$ -in. pipes, $\frac{1}{4}$ -in. to $\frac{1}{8}$ -in. nuts
TY25020	12-in. long Alligator pliers	for $\frac{1}{8}$ -in. to $\frac{1}{8}$ -in. pipes, $\frac{3}{8}$ -in. to $\frac{1}{8}$ -in. nuts



#### 10-in. Curved Jaw Locking Pliers

#### TY26823

- Heat-treated, nickel-plated alloy steel
- Smooth grip handle
- Wire cutter
- Limited lifetime warranty



## 4-Piece Snap-Ring Pliers Set – Light Duty

#### TY24515

- Pliers are 6-in. long
- Internal range is ¾-in. to 2-in.
- External range is ¼-in. to 2-in.
- Snap-ring plier tips are easy-shift type for internal and external applications
- 90-day warranty

#### **Set Includes**

4 interchangeable tips –  $90^{\circ}$ ,  $45^{\circ}$  angled and 2 sizes of straight tips




## 4-Piece Snap-Ring PliersSet – Heavy Duty

#### TY26280

- Solid-forged construction provides maximum strength and durability
- Solid-style, precision-shaped and sized nonslip tips provide a positive grip and reduce slipping
- Made of chrome-vanadium steel and feature oil-hardened polished heads
- Plastic-coated handles provide a solid handgrip
- Limited lifetime warranty

#### Set Includes

TY26281	Inside, straight snap-ring pliers – ½-in. to 1-in. bore size
TY26282	Internal, 7-in. long, 0.70-in. diameter snap-ring pliers $^3\!4$ -in. to $2\frac{1}{2}$ -in. bore size
TY26285	Outside, straight snap-ring pliers – ¾-in. to 1-in. bore size
TY26286	External, 7-in. long, .070-in. diameter snap-ring pliers $^{3}\!\!4$ -in. to $2^{3}\!\!8$ -in. bore size





#### **Knipex Long-Nose Pliers with Cutters**

#### TY24236

- Flat-round jaws and serrated gripping surfaces
- Can be used for cutting hard and soft wire
- Cutting edges are separately induction-hardened for extra strength
- Made of vanadium steel and feature an oil-hardened, polished head
- Comfortable, plastic-coated handles provide a secure grip
- Limited lifetime warranty
- 8-in. long-nose pliers with cutter



#### **Knipex Cobra Pliers**

#### TY25406

- Acts as water-pump pliers, locking pliers and pipe wrench in one – very versatile tool, with a positive-locking, pushbutton mechanism
- Made from chrome-vanadium, electric steel and oilhardened – gripped tooth hardness is rated at 60HRC
- Feature polished heads and plastic-coated handles for comfort and an excellent grip
- Unique jaw design eliminates nut burring pliers are selfgripping
- Cast stop prevents finger pinching
- Memory button retains jaw adjustment for repetitive jobs
- Limited lifetime warranty
- 16-in. Cobra pliers for ⅓-in. to 3-in. pipes, ¾-in. to 2¾-in. nuts



#### Long-Reach Pliers Set

#### TY24362

- Provides extra reach for fasteners in restricted areas
- 45° and 90° angles provide additional access
- Textured grip for comfort
- Parallel teeth provide a firm grip of fasteners and other objects
- Limited lifetime warranty

#### 3-piece set includes

PT19987 11-in. straight pliers PT19988 10⅓-in. 45° pliers PT19989 9¾-in. 90° pliers



#### **Heavy-Duty Rib-Joint Pliers**

- Ideal for rods, pipes, hoses and cable connections, and many other mechanical devices
- Multiple slip-joint with self-locking jaw opening that will not slip
- Long, durable handles provide powerful leverage to grip around round, flat, square, and hex objects
- Limited lifetime warranty

TY25032 10-in. rib-joint pliers -1%-in., 2%-in. and %6-in. joint dimensions

TY25033 12-in. rib-joint pliers – 15/8-in., 23/4-in. and

½-in. joint dimensions

## **Slip-Joint Pliers**

#### **Features**

- Used as standard pliers, but with a wider jaw capacity a pivot point provides for two widths of jaw opening
- Machine-hardened for extra strength and durability
- 2-position lobster-claw jaws
- Shear-type cutter
- Drop-forged alloy steel with full-polished finish and laser-mark branded
- Heat-treated for strength and durability
- Made in U.S.A.
- Limited lifetime warranty



#### Combination

TY26344

8-in. gripped handle

## Solid-Joint Pliers

#### **Features**


- Machine-hardened for extra strength and durability
- Solid joint positioned close to the cutting edge, making it easier to cut heavy wire with less user fatigue
- Drop-forged alloy steel with full-polished finish and laser-mark branded
- Heat-treated for strength and durability
- Made in U.S.A.
- Limited lifetime warranty



#### **Needle Nose Pliers**

TY27358

6-in. side cutter needle nose pliers with grip



## KNIPEX HEAVY-DUTY CUTTERS

#### **Features**

- The same features as professional-grade cutters
- Polished heads and plastic-coated handles
- Drop-forged, oil hardened chrome-vanadium steel
- Induction-hardened cutting edges 64HRc Rockwell Hardness for high-tensile strength wire
- Every single cutter is factory inspected and tested for maximum performance
- Limited lifetime warranty

## 8-in. High-Leverage Diagonal Cutters

#### TY25257

- Fixed, forged-on axle rivet provides extreme smoothness, perfect alignment of the cutting edges, and a long service life
- Designed to cut up to ⅓-in. hard wire and ¾₂-in. piano wire –
   2,200-N tensile strength
- Knuckle-saving 12° angled head for easier access in situations that require hand clearance rather than normal cut





## JOHN DEERE CUTTERS



## 7-in. Multi-Purpose Shears

#### TY26561

- Precision-ground and hardened stainless-steel for longlasting sharp-cutting edge
- Spring-loaded polypropylene handles with ergonomic overmolded TPR grips
- 90-day warranty



## 6-in. Wire Stripper/ Cutter

#### TY27003

- 5-in-l precise cutter and stripper with comfortable handle – wire stripper, wire cutter, steel wire cutter, pliers and wire loop
- Precision-ground cutting surface for clean cuts 10-24 AWG
- 90-day warranty



## Folding Utility Knife

#### TY26567

- Quick change blade
- Easy one hand opening
- 90-day warranty



#### **Leather Pliers/Tool Pouch**

#### TY25989

- Keeps pliers and small tools within easy reach
- Fits belt up to 5 cm (2 in.) wide
- Includes John Deere logo
- 90-day warranty

## SCREWDRIVERS AND NUT DRIVERS

## Screwdrivers

#### **Features**

- Professional-quality craftmanship
- Chrome-vanadium steel blades for extra strength and long life
- Easy-to-see yellow and black grip provide extra torque capabilities
- Holes in the handles provide increased leverage and a hanging option
- Limited lifetime warranty



#### 5-Piece Screwdriver Set

TY24803

#### 5-piece set includes

TY24798 5/16-in. x 6-in. flat-tip, round-shaft screwdriver
TY24797 7/32-in. x 4-in. flat-tip, round-shaft screwdriver
TY24796 3/32-in. x 3-in. flat-tip, round-shaft screwdriver
TY24800 #1 x 3-in. Phillips head screwdriver
TY24801 #2 x 4-in. Phillips head screwdriver



#### 6-in-1 Screwdriver

#### TY26693

- An ergonomic design with comfort-grip handle reduces fatigue and improves load factors
- An easy-to-see yellow and black soft grip
- Chrome vanadium bits with magnetic tips
- 90-day warranty

#### Includes:

- Screwdriver
- Phillips head #1 and #2 bits
- ¼-in. and ¾6-in. slotted bits
- 4-in. and 5/6-in. nut-driver tips



#### 8-Piece Screwdriver Set

#### TY26565

- An ergonomic handle design
- Precision-ground tips
- Magnetised tips for holding screws
- 90-day warranty

#### Set includes:

4 Phillips head		4 flat-tip head	
#3 x 6-in.	PT21152	⁵⁄₁6-in. x 6-in.	PT21148
#2 x 4-in.	PT21153	⅓ <sub>16</sub> -in. x 4-in.	PT21149
#1 x 3-in.	PT21154	³∕₁6-in. x 3-in.	PT21150
1 stubby	PT21155	³∕₁6-in. stubby	PT21151



#### Individual Screwdriver

TY24799

3/8-in. x 8-in. flat-tip, round-shaft screwdriver





#### **SAE 7-Piece Nut-Driver Set**

#### TY26566

- An ergonomic handle design with 5-in. shafts
- 90-day warranty

#### Set includes:

1⁄4-in.	PT21156	³⁄8-in.	PT21160
%₂-in.	PT21157	⅓16-in.	PT21161
⁵⁄16-in.	PT21158	⅓₂-in.	PT21162

<sup>11</sup>/<sub>32</sub>-in. PT21159


#### Metric 7-Piece Nut-Driver Set

#### TY27030

- An ergonomic handle for maximum comfort and torque
- Chrome vanadium, hollow shaft, 5-in. length
- 90-day warranty

#### Set includes:

PT21244	6mm	PT21248	11mm
PT21245	7mm	PT21249	12mm
PT21246	8mm	PT21250	13mm
PT21247	10mm		



## MEASURING AND STRIKING TOOLS



## 2-Piece Tape Measure Set

#### TY27000

- Standard and metric measurements
- Tough impact-resistant plastic case
- Comfortable sleeve for better grip and comfort
- Easy-to-use tape markings
- Hands-free blade lock
- 90-day warranty

#### Set includes:

PT21242 15.8 mm (0.63 in.). x 3.7 m (12 ft.) tape measure PT21243 25.4 mm (1 in.) x 7.6 m (25 ft.) tape measure



#### **Dead-Blow Hammer**

#### SW69000JD

- Controlled impact reduces impact vibration and rebound
- Soft face is non-marking and non-sparking
- 0.9 kg (2 lb.)
- 90-day warranty





#### **Cold-Cutting Flat Chisels**

- Forged from the finest alloy-tool steel to absorb and translate blows into smooth strokes
- Carefully heat-treated steel provides maximum strength
- 90-day warranty
- Excellent for rough-cutting cold metal

TY25023 %-in. (10mm) edge – 5-in. (127mm) flat chisel TY25025 %-in. (22mm) edge – 7½-in. (191mm) flat chisel



#### 6-Piece Pin and Punch Set

#### TY26342

- Forged from high-carbon-tool steel
- Hardened the entire length with tempered strike ends
- Cutting edges are rough sharpened and resharpened
- Pin punches have a reverse tapper, eliminating the punch sticking in the work piece
- All punches are laser-marked
- 90-day warranty

## Steel-Head Fibreglass Hammers

- Forged steel head is induction heat-treated for optimal hardness
- Epoxy bonded head will not come off handle
- Polypropylene outer shell prevents breakage due to overstrike
- Fibreglass core reduces vibration and adds strength
- Grypton™ grip is cushioned, slip-proof and moisture-absorbing
- Limited lifetime warranty

#### Two styles available:

SW69028JD Ball-peen hammer – 0.56 kg (20 oz.) SW69200JD Claw hammer – 0.59 kg (21 oz.)

## PRY BARS AND HACKSAWS



#### **Pry Bars**

- The blades of these screwdriver-type pry bars are heattreated the entire length for strength and most are curved for extra leverage
- Cellulose-acetate handles are designed for comfort and secure grip
- Tips have a 23° angle for better leverage and are wide for maximum contact
- Shanks are square for strength and create a larger surface that eliminates slippage
- 90-day warranty

#### Seven lengths available:

TY26147	635 mm (25 in.) straight pry bar
TY26148	432 mm (17 in.) curved pry bar
TY26149	635 mm (25 in.) curved pry bar
TY26150	787 mm (31 in.) curved pry bar
TY26151	914 mm (36 in.) curved pry bar
TY26152	203 mm (8 in.) curved pry bar
TY26153	305 mm (12 in.) curved pry bar

## Heavy-Duty Hacksaw

#### TY24816

- Features a strong, well-balanced design, a comfortable handle, and a deep-cutting, sturdy frame with excellent strength-to-weight ratio
- Perfect for the professional user
- Accommodates 12-in. (300mm saw blades)
- Limited lifetime warranty



#### **Curved Blade Pry Bars**

- Use for countless prying, positioning and aligning jobs
- Long, tapered point quickly aligns holes for the insertion of a pin or bolt
- Expertly forged and heat-treated bar features uniform hardness and durability
- 90-day warranty

#### Two lengths available:

TY25029 406 mm (16 in.) curved blade pry bar TY27684 457 mm (18 in.) curved blade pry bar

#### **Hacksaw Replacement Blades**

- Each blade has 24-teeth per inch and is 305 mm (12 in.) long
- No warranty on blades

#### Two styles available:

TY24817 **High-carbon steel blade** – Flexible, for general purpose cutting, cuts mild steel, cast iron, aluminum, and copper

TY24818 **High-speed steel blade** – Flexible, for cutting 6.35 mm (0.25 in.) to 25 mm (1 in.), cuts thick pipe, angle iron, steel bars, drill rods, and cast iron



## **WORKSHOP ACCESSORIES**



#### Mini Magnetic Parts Tray

#### TY26557

- A 114 mm (4.5 in.) stainless-steel dish
- Ability to hold small parts, hardware and fasteners
- Sticks to any ferrous-metal surface
- 90-day warranty



## Large Magnetic Parts Tray

#### TY26694

- Stainless-steel construction
- Powerful dual industrial-strength magnets
- Magnetic base is coated with nonslip rubber for added weight and stability
- Wide, shallow tray allows easy access and good visibility for small pieces
- 241 mm (9.5 in.) x 140 mm (5.5 in.)
- 90-day warranty



## 1¼-in. Stainless-Steel Scraper

#### TY26560

- Rigid stainless-steel go-through blade with metal-capped handle for strength
- Comfortable TPR handle for maximum grip
- 32 mm
- 90-day warranty



## **Telescoping Magnetic**

#### TY26558

- Powerful 2.2 kg (5 lb.) shielded magnet
- Extends from 165 mm (6.5 in.) to over 171 mm (28 in.)
- Ideal for retrieving dropped parts, tools and fasteners
- 90-day warranty



## 5-Piece Double-Edge Screw-Extractor Set

#### TY25411

- Patented double-edge design for nonslip right or left-turn removal
- Convenient vinyl carrying case not shown
- 90-day warranty

#### Set includes:

PT20719	Size 1	PT20722	Size 4
PT20720	Size 2	PT20723	Size 5
PT20721	Size 3	PT20724	Pouch



#### 4-Piece Precision Pick Hook Set

#### TY26997

- Ideal tool for assembly, repair or removal of small parts
- Heat-treated chrome vanadium steel shafts
- Cushioned non-slips grips for extra control
- Knurled shaft grip area allows for precise work
- 90-day warranty

#### Set includes:

PT21224	Straight pick	PT21226	Curved hook
PT21225	Offset hook	PT21227	90° hook



#### 4-Piece Jumbo Pick and Hook Set

#### TY26559

- Rigid steel go-through shafts with metal-capped handles for strength
- 90-day warranty

#### Set includes:

PT21163	Curved hook
PT21164	90° hook
PT21165	Offset hook
PT21166	Straight pick

## **Tyre-Pressure Gauges**

- Gauges are calibrated in PSI, and TY15178 also includes kPa for AUNZ application and usage
- Chrome-plated for long-lasting appearance
- Includes deflator tips, plug black and red on white square nylon bars that are easy to read
- 90-day warranty

TY15493 1 to 20-lb. air-pressure tyre gauge

TY25244 Dial tyre gauge

TY25245 Tyre-gauge display - 10 pencil-style air/liquid

tyre gauges





#### Stainless-Steel Multi-Tool

#### TY26825

- Heavy-duty, stainless-steel with rubber grips
- Carrying pouch included
- 90-day warranty

#### 12 tools in 1 - consisting of:

- 3 hex socket wrenches
- 3 flat screwdrivers
- 1 Phillips screwdriver
- 1 pin/scratch awl
- 1 scissors
- 1saw

- 1 pliers
- 1 wire cutter
- 1 knife
- 1 file
- 1 bottle opener
- 1 ruler 152 mm (6 in.)



#### **Folding Pocket Knife**

#### TY26564

- 152 mm (6 in.) open / 89 mm (3.5 in.) closed
- Black-satin finish with anodised green trim
- Thumb tab on blade for easy opening
- Handy belt clip
- Serrated edge
- 90-day warranty



## **Heavy-Duty Bench Vises**

#### BV8-J

- Heavy-duty cast steel construction
- 360° swivel base
- Replaceable, serrated locking faces
- Double lock-downs
- Extra-deep throats to handle large work pieces
- Straight-line pull transmits lamping load over entire vise body
- Enclosed box frame and steel channel
- Three mounting pivots
- Large anvil area
- 10-year warranty
- 203 mm (8-in.) bench vise



## **ACCESSORIES**

## **SHOP TOWELS**

John Deere shop towels are made with 40% post consumer waste, meeting the EPA Comprehensive Procurement Guidelines for recycled content. They are soft on the hands and face yet built to be durable and won't fall apart even when wet. Convenient, disposable towels for general cleanup, great for grease and oil absorption. Available in pop-up cardboard cartons, center-pull plastic bucket or in handy rolls.



#### **Center-Pull Cardboard Carton**

#### PMDRC4223

- 254 mm x 305 mm (10 x 12-in.) sheet size
- 200 count/box
- Designed for convenient use and dispensing



#### Center-Pull Plastic Bucket & Refill

- 254 mm x 305 mm (10 x 12-in.) sheet size
- 200 count/bucket
- Center-pull keeps your towels clean and dry until they are needed
- Bucket includes an on/off dispensing bracket

PMDRC4221 Bucket
PMDRC4222 Bucket Refill



#### Roll

#### PMDRC4601

- 280 mm x 239 mm (11 x 9.4-in.) sheet size
- 56 count/roll
- Tear off only what you need



#### Classic Glass Cleaner

#### TY25684AU

- Cleans and brightens all glass
- Also great for cleaning enamel surfaces, chrome, tile and porcelain
- Will not streak
- Heavy-duty foam clings to vertical surfaces
- Leaves an invisible, dirt-resistant barrier

## **ABSORBENTS**

The absorbent mats will handle everything that may leak, drip or spill on any shop floor. Save time and money by eliminating the need to mop or sweep up spills, plus these mats are cheaper to use than old fashioned floor dry/kitty litter.

#### **Features**

- Absorbs oil, water, grease, transmission fluids, hydraulic fluids, antifreeze/coolants, and many other fluids
- For use in general maintenance, around hose machines, and wherever fluids may leak or spill
- Works great in fields dealing with leaks, drips or spills
- Made with 80% recycled cellulose fibres for superior absorbency
- More cost effective than oil-based polypropylene sorbent mats
- Class A fire retardant (lab tested per ASTM E84)



#### Single-Layer Pads

#### PMABS2860

- 381 mm x 482 mm (15 x 19-in.) sheet size
- 100 count/case

## TAPE AND ACCESSORIES



### Professional Grade All-Purpose Tape

#### TY5030

- Made of high-quality plastic cloth suitable for many applications
- Works in temperatures up to 71° C
- 50.8 mm x 18.3 m



#### Vinyl Electrical Tape

- Maintains high dielectric resistance
- Withstands the effects of water, oils, acids, alkali and corrosive materials

#### Two lengths available:

TY5020 19 mm x 6.1 m TY5021 19 mm x 20.1 m



## Spinner Knobs

These high-quality steering knobs feature comfortable vinyl coating and heavy-duty construction.

PM00966 John Deere logo, yellow on green
TY16020 Vintage logo, yellow on black
TY16330 Vintage logo, yellow on green



This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all countries or regions. In some countries, products and accessories may require modifications or additions to ensure compliance with the local regulations of those countries. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification and design of all products described in this literature without notice. John Deere's green and yellow colour scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company. All photography and illustrations contained herein are copyrighted assets of Deere & Company.

JohnDeere.com.au JohnDeere.co.nz